# SAFETY DATA SHEET

# Product name: ANA 70 POWDER

SDS Drawn up: 1995-03-27 SDS Revised: 2012-03-01

# **1.** Identification of the substance / preparation and of the company

Trade name:	ANA 70 POWDER			
Chemical name:	Metal powder (alloy)			
Field of application:	Metallic powder to produce amalgam for dental fillings			
Supplier:	Nordiska Dental AB			
Postal address:	Box 1082	Telephone no:	+46 431 443 360	
Postcode and town:	S-262 21 Ängelholm	Fax no:	+46 431 443 399	
Country:	Sweden	E-mail:	mail@nordiskadental.se	
Emergency telephone:	+46 431 443 360	Contact:	Ewa-Lotte Pedersen	

#### 2. Hazards identification

Classification: Not hazardous

Adverse physicochemical effects:-

Adverse human health effects:-

Adverse environmental effects:-

**Classification of the substance or mixture**:Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

This substance is not classified as dangerous according to Directive 67/548/EEC.

#### Label information

The product does not need to be labelled in accordance with EC directives or respective national laws.

3. Composition / information on ingredients					
Component	CAS-no	Einecs-no	Content (%)	Classification*	
Silver, Ag	7440-22-4	231-131-3	<70		
Tin, Sn	7440-31-5	231-141-8	<20		
Copper, Cu	7440-50-8	231-159-6	<15		
Zinc, Zn	7440-66-6	231-175-3	<0,5	H250, H260, H400, H410*	

\*The full wordings of phrases are listed in section 16.

## 4. First aid measures

Inhalation: Get fresh air. Rest and keep warm.

Skin contact: Wash off with soap and water.

**Eye contact:** Keep the eyelids wide apart and flush with plenty of water for at least 15 minutes. Get medical attention in case of discomfort, e.g. redness/irritation.

Ingestion: Rinse the mouth with water. Get medical attention in case of discomfort.

**Further information:** Never give any food and/or drink to an unconscious person. Please show this safety data sheet to the doctor on duty. Get medical attention in case of uncertainty.

# 5. Fire-fighting measures

**Suitable extinguishing media:** Use any means suitable for extinguishing surrounding fire, the presence of other products or chemicals taken into consideration.

**Extinguishing media which must not be used:** Do not use extinguishing media inappropriate to surrounding fire conditions, the presence of other products or chemicals taken into consideration.

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:-

Special protective equipment: Protective equipment in compliance with national regulations.

6. Accidental release measures

**Personal precautions:** Personnel should wear suitable protective clothing and gloves, in order to avoid skincontact.

Environmental precautions: Prevent the spillage from reaching the outlets.

**Methods for cleaning up:** Spillage and waste from the cleaning-up procedure should be disposed of according to local regulations and national legislation.

# 7. Handling and storage

Handling: The product should be handled with care and in accordance with strict hygiene practises. Avoid inflicting damage on the packaging.

**Storage:** Keep in a tightly closed container, stored in a dry, well ventilated area. Recommended storage temperature not  $> 25^{\circ}$ C.

# 8. Exposure controls / personal protection

**Exposure limit values:** Silver: OSHA Permissible Exposure Limit (PEL): Time Weighted Average (TWA) 0,01 mg/m<sup>3</sup>. NIOSH Recommended Exposure Limit (REL): TWA 0,01 mg/m<sup>3</sup>. NIOSH Immediately Dangerous to Life or Health (IDLH): 10 mg/m<sup>3</sup> (as Ag). Tin: OSHA PEL: TWA 2 mg/m<sup>3</sup>. NIOSH REL: TWA 2 mg/m<sup>3</sup>. NIOSH IDLH: 100 mg/m<sup>3</sup> (as Sn). Copper: OSHA PEL: TWA 1 mg/m<sup>3</sup>. NIOSH REL: TWA 1 mg/m<sup>3</sup>. NIOSH IDLH: 100 mg/m<sup>3</sup> (as Cu). Zinc: OSHA PEL: TWA 5 mg/m<sup>3</sup> (fume), TWA 15 mg/m<sup>3</sup> (total dust), TWA 5 mg/m<sup>3</sup> (resp dust). NIOSH REL: Dust: TWA 5 mg/m<sup>3</sup>, C 15 mg/m<sup>3</sup>. Fume: TWA 5 mg/m<sup>3</sup>, ST 10 mg/m<sup>3</sup>. NIOSH IDLH: 500 mg/m<sup>3</sup> (as ZnO).

**Exposure controls:** All work should be carried out in accordance with strict hygiene practises. All work should take place in suitable premises, in accordance with the existing legislation and regulations. See also heading 7. Handling and storage.

#### **Occupational exposure controls:**

- **respiratory protection:** Protective measures, e.g. a mask, could be needed.
- hand protection: Protective gloves should be used in order to avoid exposure.
- eye protection: Eye protectors should be used in order to avoid exposure.
- skin protection: Protective clothing should be used in order to avoid exposure.

#### Environmental exposure controls:-

9.	Physical	and	chemical	properties	
· ·	I II y DICUI	unu	chichhicui	properties	

#### **General information:**

- Appearance: Fine silver-grey metal powder.
- · Odour: No odour.

### Important health, safety and environmental information:

•	pH:	-	•	Boiling point/interval:	-
•	Flash point:	Incombustible	•	Flammability (solid, gas):	Incombustible
•	Explosive properties:	Incombustible	•	Oxidising properties:	-
•	Vapour pressure:	-	·	Density:	$3,3 \text{ g/cm}^3$ .
•	Water solubility:	Insoluble.	·	Solubility in organic solvents:	Insoluble.
•	Vapour density:	-	•	Evaporation rate:	-
•	Partition coefficient: n-	-	·	Viscosity:	-
	octanol/water:				

#### **10.** Stability and reactivity

Conditions to avoid:-

Materials to avoid:-

#### Hazardous decomposition products:-

Further information: The metal powder (alloy) reacts with mercury, forming amalgam.

#### 11. Toxicological information

# Dangerous-to-health effects and symptoms related to:

- **inhalation:** May be irritating to the respiratory organ.
- **ingestion:** Consuming high amounts may produce nausea, vomiting, fever, reduced muscular strength, circulatory disturbance.
- **skin contact:** May be irritating to the skin. Some persons may be more susceptible to the effects of the substance. In these cases, the substance may have an allergy-forming effect.
- eye contact: May cause e.g. redness and/or irritation.

#### 12. Ecological information

**Ecotoxicity:** Zinc: Fish, toxicity: LC > 0,1 mg/L. Inorganic zinc: Aquatic organisms, toxic effects when  $\ge 0,3 \text{ mg/L}$ .

Mobility:-Persistence and degradability:-Bioaccumulative potential:-Other adverse effects:-

### 13. Disposal considerations

**Product:** Should be disposed of in accordance with local regulations and national legislation. **Contaminated packaging:** Should be disposed of in accordance with local regulations and national legislation.

#### 14. Transport information

ADR/RID: Not classified as dangerous goods ICAO/IATA: Not classified as dangerous goods IMO/IMDG: Not classified as dangerous goods

#### 15. Regulatory information

Health, safety and environmental information shown on the label:

The product does not need to be labelled in accordance with EC directives or respective national laws.

**Further information:** This product meets the demands of ISO 24234 (mercury and alloys for dental amalgam) and MDD 93/42/EEC. The product is CE-marked.

#### 16. Other information

#### Full wording of the phrases referred to in section 3:

H250 Ignites spontaneously on contact with air; H260 In contact with water releases flammable gases which can ignite spontaneously; H400 Very toxic to aquatic organisms, H410 Very toxic to aquatic life with long lasting effects.

**The safety data sheet is revised in order to:** Classification and labelling according to Regulation (EC) No 1272/2008 and the European Directive 67/548 / EEC as amended.

The information in this safety data sheet is based upon our present knowledge. The information is presented with the intention of describing the safest way of handling the product. The safety data sheet is therefore not to be regarded as a complete chemical description of the product. Consequently, the user is responsible for making sure that the product is meant to be used in the actual field of application and that it serves the purpose intended.